

Traditional Series Analog Clocks

72 MHz



Utilizing the power of GPS and Network Time Protocol (NTP), Primex analog clocks perfectly synchronize to improve workflow, accountability, and productivity. They synchronize seamlessly with your 72 MHz system using our proprietary 72 MHz signal that transmits easily through common building materials and across longer distances with less potential for signal interference.

Accurate Time Throughout the Facility

Our Traditional Series clocks feature easy-to-read dials and durable thermoplastic frames and lenses, making them ideal for many applications. Available in a variety of colors, sizes, and dial options.

72 MHZ TRADITIONAL SERIES CLOCKS			
BATTERY	120V AC	120V MOLEX	DESCRIPTION
102-DC115A07	NA	NA	9" (22.86cm) Black, Calypso
102-DC115A05	NA	NA	9" (22.86cm) Black, General 12/24 Dial
102-DC110A01	102-AS210A01	102-ASM10A01	12.5" (31.75cm) Black
102-DC110A05	102-AS210A05	NA	12.5" (31.75cm) Black, General, 12/24 Dial
102-DC110W01	102-AS210W01	NA	12.5" (31.75cm) White
102-DC110W05	102-AS210W05	NA	12.5" (31.75cm) White, General, 12/24 Dial
102-DC150A01	102-AS250A01	102-ASM50A01	16" (40.64cm) Black
102-DC150A05	102-AS250A05	NA	16" (40.64cm) Black, General, 12/24 Dial



9" Traditional Series



12.5" or 16"
Traditional Series



General 12/24 Dial



Easy-to-assemble bracket kit lets you create a dual-sided clock for hallways or other large areas.

Remote Antenna Clocks

For clocks in locations where receiving a signal could be challenging, remote antenna options enable greater flexibility with your engineered solution.

72 MHZ TRADITIONAL SERIES CLOCKS - REMOTE ANTENNA		
BATTERY	120V AC	DESCRIPTION
105-DC110A01	105-AS210A01	12.5" (31.75cm) Black, Remote Antenna
105-DC110A05	105-AS210A05	12.5" (31.75cm) Black, Remote Antenna, General 12/24 Dial
NA	105-AS250A01	16" (40.64cm) Black, Remote Antenna

Dual Clock Kit


Create an easy-to-read dual-sided clock for hallways or other large areas with our Dual Clock Kit. The kit includes a bracket, mounting plate, and hardware to easily assemble and install two 12.5" (31.75cm) Traditional Series Clocks back-to-back.

DUAL CLOCK KIT	
PART NO.	DESCRIPTION
199-000040	12.5" (31.75cm) Dual Mounting Kit - Black
199-000041	12.5" (31.75cm) Dual Mounting Kit - White



FEATURES

- Automatically adjusts for Daylight Saving Time
- Clock Lock feature can be used to securely mount to the wall



Remote Antenna Clock

SPECIFICATIONS

- Durable thermoplastic frames and lenses
- 12.5" (31.75cm) or 16" (40.64cm) diameter
- Clock depth: 2.5" (6.4cm)
- Clock power: PoE 802.3 at/af compatible
- Operating range: 32° - 158°F (0° - 70°C)

SINGLE-SIDED MODEL

- Three sizes available: 9" (22.86cm); 12.5" (31.75cm) or 16" (40.64cm) diameter
- Single clock depth: 2.5" (6.4cm)

DUAL-SIDED MODEL

- 12.5" (31.75cm) diameter
- Mount to wall or ceiling
- Ideal for hallway applications to view from many angles
- Easy to assemble

BATTERY MODEL

- 9" (22.86cm) Clocks require (2) C-cell alkaline batteries (not included)
- 12.5" (31.75cm) Clocks require (2) D-cell alkaline batteries (not included)
- 16" (40.64cm) Clocks require (2) D-cell alkaline batteries (not included)

ELECTRIC (AC)

- Power Supply 100-240 VAC, UL Listed, 18" (45.72cm) cord with plug
- 120 VAC: 67mA

BATTERY NUMBERS

- 198-000029 two D-cell alkaline batteries
- 198-000028 two C-cell alkaline batteries

DIALS

- Customized clock faces are available to display your organization's name or logo
- Please call for more information

To Learn More:
 Call - 855-602-2934
 Email - info@primexinc.com
 primexinc.com



©2022 by Primex, Inc.
 The Primex logo is a registered trademark of Primex, Inc. All Rights Reserved. 4.4.22